

DIN.2.1247 Beryllium Solid Bare Copper Wire 0.4 mm For Spring Connectors

Basic Information

Place of Origin: chinaBrand Name: jinshunlaiCertification: IOS

Model Number: 0.1mm-900mm

Minimum Order Quantity: 1kg Price: contact us

• Delivery Time: 5day

• Payment Terms: L/C, T/T, Western Union,D/P

• Supply Ability: 90000ton



Product Specification

Application: Electrical
Color: Red
Insulation Material: None
Stranding: Solid
Voltage Rating: 600V
Wire Gauge: 14 AWG
Color: Red Yellow

• Highlight: DIN.2.1247 Solid Bare Copper Wire,

0.4 mm Solid Bare Copper Wire, Beryllium 0.4 mm copper wire



More Images



Industry-specific attributes

Cu (Min)	≥65%
Alloy Or Not	Non-Alloy
Ultimate Strength (≥ MPa)	315

Other attributes

jiangsu, China
Red Copper Wire
Conductive
Brass,Copper
jinshunlai
C11000 C12200 etc
Bending, Decoiling, Welding, Punching, Cutting
99.9% Pure Copper Wire, Dead Soft copper wire rod C11000
12ga Copper Wire
1ton
C12000 C11000 C1100 C1202
Carton
CIF CFR FOB EX-WORK
7-10 Days
Avaliable

Diameter	0.3mm-12mm
Color	Red Cppper

Packaging and delivery

Packaging Details	Standard Seaworthy Package,inside is kraft paper,water plastic film is in the middle and outside is GI sheet to be covered by steel strip with lock
Port	Tianjin /Qingdao port
Package Type:	Standard Seaworthy Package,inside is kraft paper,water plastic film is in the middle and outside is GI sheet to be covered by steel strip with lock

attribute-list

Supply Ability 10000 Ton/Tons per Month







Copper Wuxi Jinnuo copper Co.,Ltd



+86-17763564398



sales01@shuangheyisteel.com



copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China