




Cold/Hot Rolled Stainless Steel Strips Belt and Spring Coils Grade 201 304 3316 316L Custom Thick

Our Product Introduction

Basic Information

- Place of Origin: china
- Brand Name: jinshunlai
- Certification: ISO, AISI, ASTM, GB, EN, DIN
- Model Number: 0.1mm-900mm
- Minimum Order Quantity: 1kg
- Price: Contact Us
- Packaging Details: Waterproof Paper, Steel Strip Packed and other Standard Export Seaworthy Package, or customized package
- Delivery Time: 5day
- Payment Terms: T/T
- Supply Ability: 90000ton



Product Specification

- Certificate: ISO, SGS, BV
- Edge: Slit Edge/Mill Edge
- Grade: 200/300/400/900 Series
- Material: Stainless Steel
- Thickness: 0.1mm-50mm
- Width: 1000mm-2000mm
- Application: Building, Construction, etc
- Tolerance: $\pm 1\%$
- Processing Service: Welding, Punching, Cutting, Bending, Decoiling



More Images



for more products please visit us on copper-solid.com


Product Description**COLD/HOT ROLLED STAINLESS STEEL STRIPS BELT AND SPRING COILS GRADE 201 304 3316 316L CUSTOM THICK**

Place of Origin	Shandong, China
Steel Grade	301L, S30815, 301, 304N, 310S, S32305, 410, 204C3, 316Ti, 316L, 441, 316, 420J1, L4, 321, 410S, 436L, 410L, 443, LH, L1, S32304, 314, 347, 430, 309S, 304, 439, 425M, 409L, 420J2, 204C2, 436, 445, 304L, 405, 370, S32101, 904L, 444, 301LN, 305, 429, 304J1, 317L
Delivery Time	8-14 days
Application	Building,Construction,Deaoration
Thickness	customized
Width	600-2500mm
Tolerance	±1%
Processing Service	Bending, Welding, Decoiling, Punching, Cutting
Width	600-2500mm
Length	1000-6000mm or as customer's requireme
Thickness	customized
Tolerance	±0.1%
Steel Grade	301, 316L, 304 and so on
Standard	AiSi, ASTM,GB,JIS,ect
Technique	Cold rolled/hot rolled

Products Description

Product Name	Stainless Steel Coil
Standard	ASTM, AISI, GB, DIN, JIS, EN
Material	201, 202, 303, 304, 304L, 309S, 310, 310S, 314, 316, 316L, 630, 840, 904L and so on
Shape	Sheet Coil
Technology	Cold rolling, hot rolling
Width	500-2000mm
Thickness	0.1-15mm
Surface Finish	BA, 2B, No.1, No.3, NO.4, 8K, HL

Product Display




Oxidation Resistance

High temperature oxidation resistance and high strength, so it can resist fire



Usage time

Stainless steel material is resistant to corrosion and oxidation, and can be used for a long time

Product Description



type of spangle





Specification

Packaging and delivery

Packaging Details	1.Packing in bales with steel scrips 2.Plastic packing for each bundle of steel pipes 3.Paving Waterproof Plastics in Containers 4.High-quality desiccant moistureproof 5.Container transport 6. As the customer's requirement. 
Port	Qingdao

attribute-list

Supply Ability	1000 Ton/Tons per Month
----------------	-------------------------



Product Application

- 1)Used for Construction building material, curtain wall bracket, guardrail/handrailing material,
- 2)Used for petroleum oil and gas transmission,coal,
- 3)Used for decoration, chemical engineering, food processing,
- 4)Used for indoor pipeline, water heater, boiler, bathtub etc.



Stainless steel coil size can be processed.

Adopt mature cutting technology, cut smooth and tidy, seiko casting.



Wuxi Jinnuo copper Co.,Ltd



+86-17763564398



sales01@shuangheyisteel.com



copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China